



ATTACCO RAPIDO MAX LOCK - VERSIONE MECCANICA
MAX LOCK QUICK COUPLER - MECHANICAL VERSION
ATTACHE RAPIDE MAX LOCK - VERSION MÉCANIQUE



Versione meccanica Mechanical Version Version mécanique					
Modello / Model / Modèle	Code	 ≈ kg	€	Gancio / Hook / Crochet 2 - 5 t	Anello / Ring / Manille 1,5 - 3,25 t
Max Lock 35 - V-20 t 1,4 - 1,8	10RM035	28	-	-	-
Max Lock 35 - V-25 t 1,8 - 2,5	10RM035	30	-	-	-
Max Lock 35 - V-33 t 2,5 - 3,8	10RM035	34	-	-	-
Max Lock 50 - V-38 t 3,8 - 5,8	10RM050	70	-	-	-
Max Lock 50 - V-44 t 5,8 - 10	10RM050	83	-	-	-



ATTACCO RAPIDO MAX LOCK - VERSIONE IDRAULICA **MAX LOCK QUICK COUPLER - HYDRAULIC VERSION** **ATTACHE RAPIDE MAX LOCK - VERSION HYDRAULIQUE**

REVERSIBLE



Nota / Note

Specifiche idrauliche a pg. 288 - 293

Hydraulic specifications at pg. 288 - 293


Spécifications hydrauliques voir pg. 288 - 293

Versione idraulica Hydraulic Version Version hydraulique					
Modello / Model / Modèle	Code	 ≈ kg	€	Gancio / Hook / Crochet 2 - 5 - 8 t	Anello / Ring / Manille 1,5 - 3,25 - 4,75 t
Max Lock 35 - V-20 t 1,4 - 1,8	10RI035	28	-	-	-
Max Lock 35 - V-25 t 1,8 - 2,5	10RI035	30	-	-	-
Max Lock 35 - V-33 t 2,5 - 3,8	10RI035	34	-	-	-
Max Lock 50 - V-38 t 3,8 - 5,8	10RI050	70	-	-	-
Max Lock 50 - V-44 t 5,8 - 10	10RI050	83	-	-	-
Max Lock 65 - V-49 t 10 - 12	10RI065	170	-	-	-
Max Lock 65 - V-55 t 12 - 15	10RI065	190	-	-	-




ATTACCO RAPIDO MAX LOCK - POWERTILT **MAX LOCK QUICK COUPLER - POWERTILT** **ATTACHE RAPIDE MAX LOCK - POWERTILT**

REVERSIBLE



Nota / Note

Specifiche idrauliche a pg. 288 - 293
 Hydraulic specifications at pg. 288 - 293
 Spécifications hydrauliques voir pg. 288 - 293

Versione idraulica Hydraulic Version Version hydraulique								
Modello / Model / Modèle	Code	PTA model	t Max	 Total	 ≈ kg	€	Gancio / Hook / Crochet 3 - 5 - 8 t	Anello / Ring / Manille 1,5 - 3,25 - 4,75 t
MAX LOCK 35	10RI035DB	030	1,8 ÷ 3,0	180°	75	-	-	-
MAX LOCK 35	10RI035DK	050	3,0 ÷ 5,0	180°	100	-	-	-
MAX LOCK 50	10RI050DK	050	3,0 ÷ 5,0	180°	127	-	-	-
MAX LOCK 50	10RI050DY	070	5,0 ÷ 7,0	180°	181	-	-	-
MAX LOCK 50	10RI050DJ	100	7,0 ÷ 10,0	180°	222	-	-	-
MAX LOCK 65	10RI065DW	180	10,0 ÷ 18,0	120°	466	-	-	-




ATTACCO RAPIDO MAX LOCK - TILT ROTATOR **MAX LOCK QUICK COUPLER - TILT ROTATOR** **ATTACHE RAPIDE MAX LOCK - TILT ROTATOR**

REVERSIBLE

TILT

ROTATING



Nota / Note

Specifiche idrauliche a pg. 288 - 293
 Hydraulic specifications at pg. 288 - 293
 Spécifications hydrauliques voir pg. 288 - 293

Versione idraulica Hydraulic version Version hydraulique									
Modello / Model / Modèle	Code	Tiltrotator model	t Max		 Total	 ≈ kg	€	Gancio / Hook / Crochet 2 - 5 - 8 t	Anello / Ring / Manille 1,5 - 3,25 - 4,75 t
MAX LOCK 35	10RI035TB	TR 20	2,0 ÷ 2,5	360°	110°	105	-	-	-
MAX LOCK 35	10RI035TD	TR 35	2,4 ÷ 3,5	360°	110°	120	-	-	-
MAX LOCK 50	10RI050TF	TR 60	3,0 ÷ 6,0	360°	110°	225	-	-	-
MAX LOCK 50	10RI050TH	TR90	5,0 ÷ 9,0	360°	110°	295	-	-	-
MAX LOCK 50	10RI050TL	TR 120	8,0 ÷ 12,0	360°	110°	430	-	-	-
MAX LOCK 65	10RI065TN	TR 150	11,0 ÷ 15,0	360°	110°	535	-	-	-
MAX LOCK 65	10RI065TP	TR 200	14,0 ÷ 20,0	360°	110°	555	-	-	-



KIT ADATTATORE - MAX LOCK

ADAPTER KIT - MAX LOCK

ADAPTATEUR - MAX LOCK



Modello / Model / Modèle	Code	 ≈ kg	€
Max Lock 35 - V-20 / V-33 t 1,4 - 3,8	APAKAR035	14	-
Max Lock 50 - V-38 / V-44 t 3,8 - 10	APAKAR050	37	-
Max Lock 65 - V-49 / V-55 t 10 - 15	APAKAR065	110	-