




BENNA STANDARD STANDARD BUCKET GODET STANDARD










		1	2	3	4	5	6	7	
Classe Class Classe	V-47	t 10 11 12	S355 - 6 mm	S355 - 15 mm	S355 - 6 mm	S355 - 20 mm	S355 - 12 mm	≥HB400 - 25 mm	S355 - 6 mm
	V-48	t 11 12 13	S355 - 6 mm	S355 - 15 mm	S355 - 8 mm	S355 - 20 mm	S355 - 12 mm	≥HB400 - 25 mm	S355 - 8 mm
	V-55	t 12 15 16	S355 - 8 mm	S355 - 12 mm	S355 - 8 mm	S355 - 20 mm	S355 - 12 mm	≥HB400 - 32 mm	S355 - 8 mm
	V-58	t 15 19 20	S355 - 8 mm	S355 - 18 mm	S355 - 8 mm	S355 - 25 mm	S355 - 15 mm	≥HB400 - 32 mm	S355 - 8 mm
	V-63	t 19 23 25	S355 - 10 mm	S355 - 18 mm	S355 - 8 mm	S355 - 25 mm	S355 - 15 mm	≥HB400 - 35 mm	S355 - 8 mm
	V-64	t 23 26 28	S355 - 10 mm	S355 - 18 mm	S355 - 10 mm	S355 - 25 mm	S355 - 15 mm	≥HB400 - 35 mm	S355 - 10 mm
	V-68	t 26 31 33	S355 - 10 mm	S355 - 20 mm	S355 - 10 mm	S355 - 30 mm	≥HB400 - 15 mm	≥HB400 - 40 mm	S355 - 10 mm




BENNA STANDARD STANDARD BUCKET GODET STANDARD



V-47 t 10 11 12

Code	L mm	RL mm	P mm	ISO 7451 m ³	 n.	 kg					
							CAT_STYLE J220	FEURST FK3	MTG MG10	Combi C1	ESCO U20
47 - S3	300	789	880	0,095	2	184	-	-	-	-	-
47 - SD	350	789	880	0,118	3	198	-	-	-	-	-
47 - S4	400	789	880	0,142	3	205	-	-	-	-	-
47 - SE	450	789	880	0,167	3	220	-	-	-	-	-
47 - S5	500	789	880	0,191	3	228	-	-	-	-	-
47 - S6	600	789	880	0,243	4	249	-	-	-	-	-
47 - S7	700	789	880	0,299	4	273	-	-	-	-	-
47 - S8	800	789	880	0,352	4	298	-	-	-	-	-
47 - S9	900	789	880	0,406	5	318	-	-	-	-	-
47 - S1	1000	789	880	0,460	5	335	-	-	-	-	-
47 - SN	1200	789	880	0,567	5	373	-	-	-	-	-






BENNA STANDARD / STANDARD BUCKET / GODET STANDARD

V-48 t 11 12 13

Code	L mm	RL mm	P mm	ISO 7451 m ³	n.	kg	CAT_STYLE	FEURST	MTG	COMBI	ESCO
							J250	FK3	MG15 - MA15	R10	U25
48 - S4	400	834	906	0,152	3	241	-	-	-	-	-
48 - S5	500	834	906	0,205	3	264	-	-	-	-	-
48 - S6	600	834	906	0,260	3	280	-	-	-	-	-
48 - S7	700	834	906	0,317	4	311	-	-	-	-	-
48 - S8	800	834	906	0,379	4	339	-	-	-	-	-
48 - S9	900	834	906	0,438	4	360	-	-	-	-	-
48 - S1	1000	834	906	0,496	5	388	-	-	-	-	-
48 - SN	1200	834	906	0,613	5	429	-	-	-	-	-
48 - SP	1300	834	906	0,679	6	457	-	-	-	-	-

V-55 t 12 15 16








Code	L mm	RL mm	P mm	ISO 7451 m ³	n.	kg	CAT_STYLE	FEURST	MTG	COMBI	ESCO
							J300	FK4	MG15 - MA15	R10	U25
55 - S4	400	964	1027	0,194	3	311	-	-	-	-	-
55 - S5	500	964	1027	0,262	3	341	-	-	-	-	-
55 - S6	600	964	1027	0,332	3	363	-	-	-	-	-
55 - S7	700	964	1027	0,409	4	408	-	-	-	-	-
55 - S8	800	964	1027	0,487	4	448	-	-	-	-	-
55 - S9	900	964	1027	0,563	4	476	-	-	-	-	-
55 - S1	1000	964	1027	0,639	5	516	-	-	-	-	-
55 - SM	1100	964	1027	0,715	5	543	-	-	-	-	-
55 - SN	1200	964	1027	0,791	5	571	-	-	-	-	-
55 - SP	1300	964	1027	0,868	6	611	-	-	-	-	-
55 - SQ	1400	964	1027	0,944	6	638	-	-	-	-	-













BENNA STANDARD / STANDARD BUCKET / GODET STANDARD

V-58 t 15 19 20

Code	L mm	RL mm	P mm	ISO 7451 m ³	 n.	 kg	 CAT_STYLE	 FEURST	 MTG	 COMBI	 ESCO
							J300	FK4	MG20 - MA20	R10	U30
58 - S4	400	1040	1122	0,212	3	390	-	-	-	-	-
58 - S5	500	1040	1122	0,290	3	429	-	-	-	-	-
58 - S6	600	1040	1122	0,373	3	456	-	-	-	-	-
58 - S7	700	1040	1122	0,460	4	506	-	-	-	-	-
58 - S8	800	1040	1122	0,560	4	553	-	-	-	-	-
58 - S9	900	1040	1122	0,649	4	592	-	-	-	-	-
58 - S1	1000	1040	1122	0,738	5	640	-	-	-	-	-
58 - SM	1100	1040	1122	0,828	5	675	-	-	-	-	-
58 - SN	1200	1040	1122	0,918	5	710	-	-	-	-	-
58 - SP	1300	1040	1122	1,008	6	754	-	-	-	-	-
58 - SQ	1400	1040	1122	1,100	6	793	-	-	-	-	-

V-63 t 19 23 25

Code	L mm	RL mm	P mm	ISO 7451 m ³	 n.	 kg	 CAT_STYLE	 FEURST	 MTG	 COMBI	 ESCO
							J350	FK5	MG30 - MA30	R18	U35
63 - S5	500	1088	1263	0,355	3	503	-	-	-	-	-
63 - S6	600	1088	1263	0,452	3	536	-	-	-	-	-
63 - S7	700	1088	1263	0,553	3	581	-	-	-	-	-
63 - S8	800	1088	1263	0,650	4	649	-	-	-	-	-
63 - S9	900	1088	1263	0,753	4	694	-	-	-	-	-
63 - S1	1000	1088	1263	0,857	4	736	-	-	-	-	-
63 - SN	1200	1088	1263	1,068	5	835	-	-	-	-	-
63 - SP	1300	1088	1263	1,174	5	877	-	-	-	-	-
63 - SQ	1400	1088	1263	1,280	5	919	-	-	-	-	-
63 - SR	1500	1088	1263	1,386	6	976	-	-	-	-	-
63 - ST	1600	1088	1263	1,492	6	1018	-	-	-	-	-





BENNA STANDARD / STANDARD BUCKET / GODET STANDARD

V-64 t 23 26 28

Code	L mm	RL mm	P mm	ISO 7451 m ³	n.	kg					
							CAT_STYLE J350	FEURST FK5	MTG MG30 - MA30	COMBI R18	ESCO U35
64 - S5	500	1165	1322	0,390	3	551	-	-	-	-	-
64 - S6	600	1165	1322	0,496	3	585	-	-	-	-	-
64 - S7	700	1165	1322	0,605	3	632	-	-	-	-	-
64 - S8	800	1165	1322	0,724	4	697	-	-	-	-	-
64 - S9	900	1165	1322	0,838	4	744	-	-	-	-	-
64 - S1	1000	1165	1322	0,955	4	786	-	-	-	-	-
64 - SN	1200	1165	1322	1,191	5	887	-	-	-	-	-
64 - SP	1300	1165	1322	1,310	5	931	-	-	-	-	-
64 - SQ	1400	1165	1322	1,430	5	973	-	-	-	-	-
64 - SR	1500	1165	1322	1,549	6	1032	-	-	-	-	-
64 - ST	1600	1165	1322	1,668	6	1074	-	-	-	-	-

V-68 t 26 31 33

Code	L mm	RL mm	P mm	ISO 7451 m ³	n.	kg					
							CAT_STYLE J400	FEURST FK7	MTG MG40 - MA40	COMBI R23	ESCO U40
68 - S5	500	1246	1487	0,405	3	781	-	-	-	-	-
68 - S6	600	1246	1487	0,522	3	826	-	-	-	-	-
68 - S7	700	1246	1487	0,644	3	884	-	-	-	-	-
68 - S8	800	1246	1487	0,790	4	976	-	-	-	-	-
68 - S9	900	1246	1487	0,918	4	1030	-	-	-	-	-
68 - S1	1000	1246	1487	1,050	4	1086	-	-	-	-	-
68 - SN	1200	1246	1487	1,320	5	1230	-	-	-	-	-
68 - SP	1300	1246	1487	1,445	5	1284	-	-	-	-	-
68 - SQ	1400	1246	1487	1,590	5	1338	-	-	-	-	-
68 - SR	1500	1246	1487	1,730	5	1392	-	-	-	-	-
68 - ST	1600	1246	1487	1,870	5	1448	-	-	-	-	-
68 - SU	1700	1246	1487	2,005	6	1529	-	-	-	-	-

