




# BENNA STANDARD PER MINIESCAVATORI

## STANDARD BUCKET FOR MINIEXCAVATORS

### GODET STANDARD POUR MINIPELLES



		1	2	3	4	5	6
Classe Class Classe	<b>V-20</b> t 1,4 - 1,8	S355 - 4 mm	S355 - 8 mm	S355 - 4 mm	S355 - 10 mm	-	≥HB250 - 15 mm
	<b>V-25</b> t 1,8 - 2,5	S355 - 4 mm	S355 - 8 mm	S355 - 4 mm	S355 - 10 mm	-	≥HB250 - 15 mm
	<b>V-30</b> t 2,5 - 3,3	S355 - 5 mm	S355 - 10 mm	S355 - 4 mm	S355 - 12 mm	S355 - 8 mm	≥HB250 - 20 mm
	<b>V-35</b> t 3,3 - 3,8	S355 - 5 mm	S355 - 10 mm	S355 - 5 mm	S355 - 12 mm	S355 - 8 mm	≥HB250 - 20 mm
	<b>V-38</b> t 3,8 - 5,8	S355 - 5 mm	S355 - 10 mm	S355 - 5 mm	S355 - 12 mm	S355 - 8 mm	≥HB400 - 20 mm
	<b>V-45</b> t 5,8 - 8,5	S355 - 6 mm	S355 - 12 mm	S355 - 6 mm	S355 - 15 mm	S355 - 8 mm	≥HB400 - 20 mm
	<b>V-46</b> t 8,5 - 10	S355 - 6 mm	S355 - 12 mm	S355 - 6 mm	S355 - 15 mm	S355 - 8 mm	≥HB400 - 25 mm










# BENNA STANDARD PER MINIESCAVATORI


## STANDARD BUCKET FOR MINIEXCAVATORS

### GODET STANDARD POUR MINIPELLES



V-20 t 1,4-1,8

Code	L mm	RL mm	P mm	ISO 7451 m <sup>3</sup>	 n.	 kg	 ESTI E501	 FEURST FKM	 MTG MG5	 COMBI Mini T29	 ESCO V13 SYL
20 - S2	200	360	394	0,015	2	24	-	-	-	-	-
20 - SC	250	360	394	0,020	3	28	-	-	-	-	-
20 - S3	300	360	394	0,026	3	30	-	-	-	-	-
20 - SD	350	360	394	0,031	3	32	-	-	-	-	-
20 - S4	400	360	394	0,037	4	36	-	-	-	-	-
20 - SE	450	360	394	0,043	4	38	-	-	-	-	-
20 - S5	500	360	394	0,048	4	40	-	-	-	-	-
20 - S6	600	360	394	0,060	5	46	-	-	-	-	-












# BENNA STANDARD PER MINIESCAVATORI








## STANDARD BUCKET FOR MINIEXCAVATORS


### GODET STANDARD POUR MINIPELLES

#### V-25 t 1,8-2,5

Code	L mm	RL mm	P mm	ISO 7451 m <sup>3</sup>	 n.	 kg					
							ESTI E501	FEURST FKM	MTG MG5	COMBI Mini T29	ESCO V13 SYL
<b>25 - S2</b>	200	453	512	0,023	2	33	-	-	-	-	-
<b>25 - SC</b>	250	453	512	0,031	3	38	-	-	-	-	-
<b>25 - S3</b>	300	453	512	0,039	3	41	-	-	-	-	-
<b>25 - SD</b>	350	453	512	0,048	3	43	-	-	-	-	-
<b>25 - S4</b>	400	453	512	0,056	4	48	-	-	-	-	-
<b>25 - SE</b>	450	453	512	0,066	4	50	-	-	-	-	-
<b>25 - S5</b>	500	453	512	0,075	4	53	-	-	-	-	-
<b>25 - S6</b>	600	453	512	0,093	5	60	-	-	-	-	-
<b>25 - S7</b>	700	453	512	0,111	5	66	-	-	-	-	-

#### V-30 t 2,5-3,3

Code	L mm	RL mm	P mm	ISO 7451 m <sup>3</sup>	 n.	 kg					
							ESTI E521	FEURST FKM	MTG MG5	COMBI Mini T29	ESCO V13 SYL
<b>30 - SC</b>	250	520	572	0,036	3	55	-	-	-	-	-
<b>30 - S3</b>	300	520	572	0,046	3	59	-	-	-	-	-
<b>30 - SD</b>	350	520	572	0,057	3	63	-	-	-	-	-
<b>30 - S4</b>	400	520	572	0,068	3	69	-	-	-	-	-
<b>30 - SE</b>	450	520	572	0,080	3	73	-	-	-	-	-
<b>30 - S5</b>	500	520	572	0,091	4	79	-	-	-	-	-
<b>30 - S6</b>	600	520	572	0,115	4	88	-	-	-	-	-
<b>30 - S7</b>	700	520	572	0,140	4	97	-	-	-	-	-
<b>30 - S8</b>	800	520	572	0,163	5	108	-	-	-	-	-












# BENNA STANDARD PER MINIESCAVATORI








## STANDARD BUCKET FOR MINIEXCAVATORS


### GODET STANDARD POUR MINIPELLES

V-35 t 3,3-3,8

Code	L mm	RL mm	P mm	ISO 7451 m <sup>3</sup>	 n.	 kg					
							ESTI E504	FEURST FK1	MTG MG8	COMBI Midi T29	ESCO V17 TYL
<b>35 - SC</b>	250	554	610	0,040	2	62	-	-	-	-	-
<b>35 - S3</b>	300	554	610	0,052	3	70	-	-	-	-	-
<b>35 - S4</b>	400	554	610	0,077	3	81	-	-	-	-	-
<b>35 - S5</b>	500	554	610	0,103	4	95	-	-	-	-	-
<b>35 - S6</b>	600	554	610	0,129	4	103	-	-	-	-	-
<b>35 - S7</b>	700	554	610	0,157	4	112	-	-	-	-	-
<b>35 - S8</b>	800	554	610	0,184	5	126	-	-	-	-	-

V-38 t 3,8-5,8

Code	L mm	RL mm	P mm	ISO 7451 m <sup>3</sup>	 n.	 kg					
							ESTI E504	FEURST FK1	MTG MG8	COMBI Midi T29	ESCO V17 TYL
<b>38 - SC</b>	250	595	707	0,049	2	83	-	-	-	-	-
<b>38 - S3</b>	300	595	707	0,063	3	91	-	-	-	-	-
<b>38 - SD</b>	350	595	707	0,078	3	97	-	-	-	-	-
<b>38 - S4</b>	400	595	707	0,093	3	104	-	-	-	-	-
<b>38 - SE</b>	450	595	707	0,110	3	110	-	-	-	-	-
<b>38 - S5</b>	500	595	707	0,125	4	116	-	-	-	-	-
<b>38 - S6</b>	600	595	707	0,157	4	130	-	-	-	-	-
<b>38 - S7</b>	700	595	707	0,193	4	145	-	-	-	-	-
<b>38 - S8</b>	800	595	707	0,226	5	158	-	-	-	-	-
<b>38 - S9</b>	900	595	707	0,259	5	172	-	-	-	-	-





## BENNA STANDARD PER MINIESCAVATORI

### STANDARD BUCKET FOR MINIEXCAVATORS

### GODET STANDARD POUR MINIPELLES

V-45 t 5,8-8,5

Code	L mm	RL mm	P mm	ISO 7451 m <sup>3</sup>	n.	kg					
							ESTI E504	FEURST FK2	MTG MG10	COMBI CØ	ESCO Ultralok U20
45 - S3	300	689	762	0,079	3	123	-	-	-	-	-
45 - SD	350	689	762	0,097	3	130	-	-	-	-	-
45 - S4	400	689	762	0,116	3	139	-	-	-	-	-
45 - SE	450	689	762	0,135	3	145	-	-	-	-	-
45 - S5	500	689	762	0,155	4	155	-	-	-	-	-
45 - S6	600	689	762	0,196	4	171	-	-	-	-	-
45 - S7	700	689	762	0,240	4	184	-	-	-	-	-
45 - S8	800	689	762	0,281	5	200	-	-	-	-	-
45 - S9	900	689	762	0,323	5	216	-	-	-	-	-
45 - S1	1000	689	762	0,365	5	228	-	-	-	-	-

V-46 t 8,5-10

Code	L mm	RL mm	P mm	ISO 7451 m <sup>3</sup>	n.	kg					
							ESTI E504	FEURST FK2	MTG MG10	COMBI CØ	ESCO Ultralok U20
46 - S3	300	728	820	0,093	3	141	-	-	-	-	-
46 - SD	350	728	820	0,114	3	147	-	-	-	-	-
46 - S4	400	728	820	0,137	3	159	-	-	-	-	-
46 - SE	450	728	820	0,160	3	165	-	-	-	-	-
46 - S5	500	728	820	0,183	4	180	-	-	-	-	-
46 - S6	600	728	820	0,231	4	193	-	-	-	-	-
46 - S7	700	728	820	0,285	4	210	-	-	-	-	-
46 - S8	800	728	820	0,335	5	231	-	-	-	-	-
46 - S9	900	728	820	0,384	5	245	-	-	-	-	-
46 - S1	1000	728	820	0,434	5	262	-	-	-	-	-

