




BENNA ORIENTABILE PULIZIA FOSSI - PROFILO ROTONDO **SWIVELING DITCH CLEANING BUCKET - ROUND PROFILE** **GODET CURAGE INCLINABLE - PROFIL ARRONDI**



Nota / Note

Specifiche idrauliche a pg. 288 - 293

Hydraulic specifications at pg. 288 - 293

Spécifications hydrauliques voir pg. 288 - 293

			1	2	3	4	5	6	7
Classe Class Classe	V-48	t 11 12 13	S355 - 8 mm	S355 - Ø 114 mm	S355 - 6 mm	S355 - 20 mm	S355 - 6 mm	≥HB400 - 25 mm	-
	V-55	t 12 15 16	S355 - 8 mm	S355 - Ø 114 mm	S355 - 6 mm	S355 - 20 mm	S355 - 6 mm	≥HB400 - 30 mm	S355 - 20 mm
	V-58	t 15 19 20	S355 - 8 mm	S355 - Ø 152 mm	S355 - 8 mm	S355 - 20 mm	S355 - 6 mm	≥HB400 - 35 mm	S355 - 20 mm
	V-63	t 19 23 25	S355 - 8 mm	S355 - Ø 152 mm	S355 - 8 mm	S355 - 20 mm	S355 - 6 mm	≥HB400 - 35 mm	S355 - 20 mm
	V-64	t 23 26 28	S355 - 8 mm	S355 - Ø 152 mm	S355 - 8 mm	S355 - 20 mm	S355 - 6 mm	≥HB400 - 35 mm	S355 - 20 mm
	V-68	t 26 31 33	S355 - 8 mm	S355 - Ø 178 mm	S355 - 10 mm	S355 - 25 mm	S355 - 8 mm	≥HB400 - 40 mm	S355 - 25 mm
	V-70	t 31 40 42	S355 - 10 mm	S355 - Ø 178 mm	S355 - 10 mm	S355 - 30 mm	S355 - 8 mm	≥HB400 - 40 mm	S355 - 25 mm




BENNA ORIENTABILE PULIZIA FOSSI - PROFILO ROTONDO **SWIVELING DITCH CLEANING BUCKET - ROUND PROFILE** **GODET CURAGE INCLINABLE - PROFIL ARRONDI**



V-48 t 11 12 13

Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 kg	€	Optionals	
									Code	
0715QR53	1400	576	612	981	0,362	2	525	-	PL14020RS20	-
0715RR53	1500	576	612	981	0,390	2	541	-	PL15020RS20	-
0715TR53	1600	576	612	981	0,410	2	558	-	PL16020RS20	-
0715AR53	1800	576	612	981	0,476	2	590	-	PL18020RS201	-
0715BR53	2000	576	612	981	0,533	2	626	-	PL20020RS20	-





BENNA ORIENTABILE PULIZIA FOSSI - PROFILO ROTONDO

SWIVELING DITCH CLEANING BUCKET - ROUND PROFILE


GODET CURAGE INCLINABLE - PROFIL ARRONDI

V-55 t 12 15 16

V-55 t 12-15-16								Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 Kg	€	Code	
0716RR53	1500	622	673	1016	0,437	2	579	-	PL15025RS25	-
0716AR53	1800	622	673	1016	0,534	2	634	-	PL18025RS25	-
0716BR53	2000	622	673	1016	0,598	2	671	-	PL20025RS25	-
0716JR53	2200	622	673	1016	0,662	2	719	-	PL22025RS251	-

V-58 t 15 19 20

V-58 t 15 - 19 - 20								Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m ³	 n.	 kg	€	Code	
0720AR53	1800	687	748	1118	0,683	2	846	-	PL18025RS25	-
0720BR53	2000	687	748	1118	0,766	2	891	-	PL20025RS25	-
0720JR53	2200	687	748	1118	0,849	2	951	-	PL22025RS251	-
0720WR53	2400	687	748	1118	0,931	2	996	-	PL24025RS251	-
0720KR53	2500	687	748	1118	0,972	2	1018	-	PL25025RS25	-





BENNA ORIENTABILE PULIZIA FOSSI - PROFILO ROTONDO

SWIVELING DITCH CLEANING BUCKET - ROUND PROFILE


GODET CURAGE INCLINABLE - PROFIL ARRONDI

V-63 t 19-23-25

V-63 t 19-23-25								Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 kg	€	Code	
0725AR53	1800	745	791	1171	0,776	2	878	-	PL18025RS25	-
0725BR53	2000	745	791	1171	0,870	2	926	-	PL20025RS25	-
0725JR53	2200	745	791	1171	0,963	2	990	-	PL22025RS251	-
0725WR53	2400	745	791	1171	1,057	2	1037	-	PL24025RS251	-
0725KR53	2500	745	791	1171	1,104	2	1061	-	PL25025RS25	-

V-64 t 23-26-28

V-64 t 23-26-28									Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 kg	€	Code		
0730AR53	1800	808	860	1228	0,896	2	913	-	PL18025RS25	-	
0730BR53	2000	808	860	1228	1,006	2	964	-	PL20025RS25	-	
0730JR53	2200	808	860	1228	1,116	2	1036	-	PL22025RS251	-	
0730WR53	2400	808	860	1228	1,226	2	1087	-	PL24025RS251	-	
0730KR53	2500	808	860	1228	1,281	2	1112	-	PL25025RS25	-	





BENNA ORIENTABILE PULIZIA FOSSI - PROFILO ROTONDO

SWIVELING DITCH CLEANING BUCKET - ROUND PROFILE


GODET CURAGE INCLINABLE - PROFIL ARRONDI

V-68 t 26 31 33

Code	L mm	RL mm	P mm	RS mm	ISO 7451 m ³	 n.	 kg	€	Optionals	
									Code	
0740AR53	1800	931	969	1450	1,183	2	1456	-	PL18033RS25	-
0740BR53	2000	931	969	1450	1,331	2	1522	-	PL20033RS25	-
0740JR53	2200	931	969	1450	1,479	2	1624	-	PL22033RS25	-
0740WR53	2400	931	969	1450	1,626	2	1689	-	PL24033RS251	-
0740KR53	2500	931	969	1450	1,700	2	1722	-	PL25033RS25	-


V-70 t 31 40 42

Code	L mm	RL mm	P mm	RS mm	ISO 7451 m ³	 n.	 kg	€	Optionals	
									Code	
0750AR53	1800	996	1023	1515	1,340	2	1551	-	PL18033RS25	-
0750BR53	2000	996	1023	1515	1,508	2	1623	-	PL20033RS25	-
0750JR53	2200	996	1023	1515	1,676	2	1741	-	PL22033RS25	-
0750WR53	2400	996	1023	1515	1,844	2	1814	-	PL24033RS251	-
0750KR53	2500	996	1023	1515	1,929	2	1851	-	PL25033RS25	-





BENNA ORIENTABILE PULIZIA FOSSI - PROFILO ANGOLARE **SWIVELING DITCH CLEANING BUCKET - SQUARE PROFILE** **GODET CURAGE INCLINABLE - PROFIL PLAT**



Nota / Note

Specifiche idrauliche a pg. 288 - 293

Hydraulic specifications at pg. 288 - 293

Spécifications hydrauliques voir pg. 288 - 293

			1	2	3	4	5	6	7
Classe Class Classe	V-48	t 11 12 13	S355 - 8 mm	S355 - Ø 114 mm	S355 - 6 mm	S355 - 20 mm	S355 - 6 mm	≥HB400 - 25 mm	-
	V-55	t 12 15 16	S355 - 8 mm	S355 - Ø 114 mm	S355 - 6 mm	S355 - 20 mm	S355 - 6 mm	≥HB400 - 30 mm	-
	V-58	t 15 19 20	S355 - 8 mm	S355 - Ø 152 mm	S355 - 8 mm	S355 - 20 mm	S355 - 6 mm	≥HB400 - 35 mm	S355 - 20 mm
	V-63	t 19 23 25	S355 - 8 mm	S355 - Ø 152 mm	S355 - 8 mm	S355 - 20 mm	S355 - 6 mm	≥HB400 - 35 mm	S355 - 20 mm
	V-64	t 23 26 28	S355 - 8 mm	S355 - Ø 152 mm	S355 - 8 mm	S355 - 20 mm	S355 - 6 mm	≥HB400 - 35 mm	S355 - 20 mm
	V-68	t 26 31 33	S355 - 8 mm	S355 - Ø 178 mm	S355 - 10 mm	S355 - 25 mm	S355 - 8 mm	≥HB400 - 40 mm	S355 - 25 mm
	V-70	t 31 40 42	S355 - 10 mm	S355 - Ø 178 mm	S355 - 10 mm	S355 - 30 mm	S355 - 8 mm	≥HB400 - 40 mm	S355 - 25 mm




BENNA ORIENTABILE PULIZIA FOSSI - PROFILO ANGOLARE **SWIVELING DITCH CLEANING BUCKET - SQUARE PROFILE** **GODET CURAGE INCLINABLE - PROFIL PLAT**



V-48 t 11 12 13

Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 kg	€	Optionals	
									Code	
0715QZ63	1400	580	740	981	0,362	2	541	-	PL14020RS20	-
0715RZ63	1500	580	740	981	0,390	2	558	-	PL15020RS20	-
0715TZ63	1600	580	740	981	0,419	2	576	-	PL16020RS20	-
0715AZ63	1800	580	740	981	0,476	2	612	-	PL18020RS201	-
0715BZ63	2000	580	740	981	0,533	2	650	-	PL20020RS20	-





BENNA ORIENTABILE PULIZIA FOSSI - PROFILO ANGOLARE

SWIVELING DITCH CLEANING BUCKET - SQUARE PROFILE


GODET CURAGE INCLINABLE - PROFIL PLAT

V-55 t 12 15 16

V-55 t 12-15-16								Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 kg	€	Code	
0716RZ63	1500	625	806	1016	0,437	2	595	-	PL15025RS25	-
0716AZ63	1800	625	806	1016	0,534	2	654	-	PL18025RS25	-
0716BZ63	2000	625	806	1016	0,598	2	694	-	PL20025RS25	-
0716JZ63	2200	625	806	1016	0,662	2	746	-	PL22025RS251	-

V-58 t 15 19 20

V-58 t 15 - 19 - 20								Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m ³	 n.	 kg	€	Code	
0720AZ63	1800	693	890	1118	0,683	2	869	-	PL18025RS25	-
0720BZ63	2000	693	890	1118	0,766	2	917	-	PL20025RS25	-
0720JZ63	2200	693	890	1118	0,849	2	982	-	PL22025RS251	-
0720WZ63	2400	693	890	1118	0,931	2	1030	-	PL24025RS251	-
0720KZ63	2500	693	890	1118	0,972	2	1053	-	PL25025RS25	-





BENNA ORIENTABILE PULIZIA FOSSI - PROFILO ANGOLARE

SWIVELING DITCH CLEANING BUCKET - SQUARE PROFILE


GODET CURAGE INCLINABLE - PROFIL PLAT

V-63 t 19 23 25

V-63 t 19-23-25								Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 kg	€	Code	
0725AZ63	1800	745	938	1171	0,776	2	899	-	PL18025RS25	-
0725BZ63	2000	745	938	1171	0,870	2	949	-	PL20025RS25	-
0725JZ63	2200	745	938	1171	0,963	2	1019	-	PL22025RS251	-
0725WZ63	2400	745	938	1171	1,057	2	1085	-	PL24025RS251	-
0725KZ63	2500	745	938	1171	1,104	2	1093	-	PL25025RS25	-

V-64 t 23 26 28

V-64 t 23-26-28									Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 kg	€	Code		
0730AZ63	1800	807	1019	1228	0,896	2	937	-	PL18025RS25	-	
0730BZ63	2000	807	1019	1228	1,006	2	990	-	PL20025RS25	-	
0730JZ63	2200	807	1019	1228	1,116	2	1067	-	PL22025RS251	-	
0730WZ63	2400	807	1019	1228	1,226	2	1120	-	PL24025RS251	-	
0730KZ63	2500	807	1019	1228	1,281	2	1147	-	PL25025RS25	-	






BENNA ORIENTABILE PULIZIA FOSSI - PROFILO ANGOLARE **SWIVELING DITCH CLEANING BUCKET - SQUARE PROFILE** **GODET CURAGE INCLINABLE - PROFIL PLAT**

V-68 t 26 31 33

V-68 t 26-31-33								Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 kg	€	Code	
0740AZ63	1800	931	1055	1450	1,186	2	1466	-	PL18033RS25	-
0740BZ63	2000	931	1055	1450	1,335	2	1537	-	PL20033RS25	-
0740JZ63	2200	931	1055	1450	1,485	2	1640	-	PL22033RS25	-
0740WZ63	2400	931	1055	1450	1,633	2	1708	-	PL24033RS251	-
0740KZ63	2500	931	1055	1450	1,708	2	1742	-	PL25033RS25	-


V-70 t 31 40 42

V-70 t 31 40 42								Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m ³	 n.	 kg	€	Code	
0750AZ63	1800	996	1223	1515	1,340	2	1557	-	PL18033RS25	-
0750BZ63	2000	996	1223	1515	1,508	2	1650	-	PL20033RS25	-
0750JZ63	2200	996	1223	1515	1,676	2	1773	-	PL22033RS25	-
0750WZ63	2400	996	1223	1515	1,844	2	1849	-	PL24033RS251	-
0750KZ63	2500	996	1223	1515	1,929	2	1888	-	PL25033RS25	-





BENNA ORIENTABILE PULIZIA FOSSI - PROFILO OLANDA **SWIVELING DITCH CLEANING BUCKET - HOLLAND PROFILE** **GODET CURAGE INCLINABLE - PROFIL OLANDA**



Nota / Note

Specifiche idrauliche a pg. 288 - 293


Hydraulic specifications at pg. 288 - 293

Spécifications hydrauliques voir pg. 288 - 293

			1	2	3	4	5	6	7
Classe Class Classe	V-48	t 11 12 13	S355 - 8 mm	S355 - Ø 114 mm	S355 - 6 mm	S355 - 20 mm	S355 - 6 mm	≥HB400 - 25 mm	-
	V-55	t 12 15 16	S355 - 8 mm	S355 - Ø 114 mm	S355 - 6 mm	S355 - 20 mm	S355 - 6 mm	≥HB400 - 30 mm	-
	V-58	t 15 19 20	S355 - 8 mm	S355 - Ø 152 mm	S355 - 8 mm	S355 - 20 mm	S355 - 6 mm	≥HB400 - 35 mm	S355 - 20 mm
	V-63	t 19 23 25	S355 - 8 mm	S355 - Ø 152 mm	S355 - 8 mm	S355 - 20 mm	S355 - 6 mm	≥HB400 - 35 mm	S355 - 20 mm
	V-64	t 23 26 28	S355 - 8 mm	S355 - Ø 152 mm	S355 - 8 mm	S355 - 20 mm	S355 - 6 mm	≥HB400 - 35 mm	S355 - 20 mm
	V-68	t 26 31 33	S355 - 8 mm	S355 - Ø 178 mm	S355 - 10 mm	S355 - 25 mm	S355 - 8 mm	≥HB400 - 40 mm	S355 - 25 mm
	V-70	t 31 40 42	S355 - 10 mm	S355 - Ø 178 mm	S355 - 10 mm	S355 - 30 mm	S355 - 8 mm	≥HB400 - 40 mm	S355 - 25 mm




BENNA ORIENTABILE PULIZIA FOSSI - PROFILO OLANDA **SWIVELING DITCH CLEANING BUCKET - HOLLAND PROFILE** **GODET CURAGE INCLINABLE - PROFIL OLANDA**



V-48 t 11 12 13

Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 kg	€	Optionals	
									Code	
0715QH53	1400	721	834	981	0,483	2	538	-	PL14020RS20	-
0715RRH53	1500	721	834	981	0,522	2	555	-	PL15020RS20	-
0715TRH53	1600	721	834	981	0,560	2	572	-	PL16020RS20	-
0715ARH53	1800	721	834	981	0,638	2	605	-	PL18020RS201	-
0715BRH53	2000	721	834	981	0,751	2	615	-	PL20020RS20	-





BENNA ORIENTABILE PULIZIA FOSSI - PROFILO OLANDA

SWIVELING DITCH CLEANING BUCKET - HOLLAND PROFILE


GODET CURAGE INCLINABLE - PROFIL OLANDA

V-55 t 12 15 16

V-55 t 12 - 15 - 16								Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 kg	€	Code	
0716RH53	1500	622	673	1016	0,437	2	593	-	PL15025RS25	-
0716AH53	1800	622	673	1016	0,534	2	649	-	PL18025RS25	-
0716BH53	2000	622	673	1016	0,598	2	688	-	PL20025RS25	-
0716JH53	2200	622	673	1016	0,662	2	736	-	PL22025RS251	-

V-58 t 15 19 20

V-58 t 15 - 19 - 20								Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 kg	€	Code	
0720AH53	1800	687	748	1118	0,683	2	867	-	PL18025RS25	-
0720BH53	2000	687	748	1118	0,766	2	912	-	PL20025RS25	-
0720JH53	2200	687	748	1118	0,849	2	974	-	PL22025RS251	-
0720WH53	2400	687	748	1118	0,931	2	1020	-	PL24025RS251	-
0720KH53	2500	687	748	1118	0,972	2	1043	-	PL25025RS25	-





BENNA ORIENTABILE PULIZIA FOSSI - PROFILO OLANDA

SWIVELING DITCH CLEANING BUCKET - HOLLAND PROFILE


GODET CURAGE INCLINABLE - PROFIL OLANDA

V-63 t 19-23-25

V-63 t 19-23-25								Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 kg	€	Code	
0725AH53	1800	687	748	1118	0,683	2	900	-	PL18025RS25	-
0725BH53	2000	687	748	1118	0,766	2	949	-	PL20025RS25	-
0725JH53	2200	687	748	1118	0,849	2	1014	-	PL22025RS251	-
0725WH53	2400	687	748	1118	0,931	2	1062	-	PL24025RS251	-
0725KH53	2500	687	748	1118	0,972	2	1086	-	PL25025RS25	-

V-64 t 23-26-28

V-64 t 23-26-28									Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 kg	€	Code		
0730AH53	1800	808	860	1228	0,896	2	936	-	PL18025RS25	-	
0730BH53	2000	808	860	1228	1,006	2	988	-	PL20025RS25	-	
0730JH53	2200	808	860	1228	1,116	2	1061	-	PL22025RS251	-	
0730WH53	2400	808	860	1228	1,226	2	1113	-	PL24025RS251	-	
0730KH53	2500	808	860	1228	1,281	2	1138	-	PL25025RS25	-	





BENNA ORIENTABILE PULIZIA FOSSI - PROFILO OLANDA

SWIVELING DITCH CLEANING BUCKET - HOLLAND PROFILE

GODET CURAGE INCLINABLE - PROFIL OLANDA

V-68 t 26 31 33

V-68 t 26-31-33								Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 kg	€	Code	
0740AH53	1800	931	969	1450	1,186	2	1492	-	PL18033RS25	-
0740BH53	2000	931	969	1450	1,335	2	1559	-	PL20033RS25	-
0740JH53	2200	931	969	1450	1,485	2	1663	-	PL22033RS25	-
0740WH53	2400	931	969	1450	1,633	2	1729	-	PL24033RS251	-
0740KH53	2500	931	969	1450	1,708	2	1762	-	PL25033RS25	-

V-70 t 31 40 42

V-70

t

31

40

42

								Optionals		
Code	L mm	RL mm	P mm	RS mm	ISO 7451 m³	 n.	 kg	€	Code	
0750AH53	1800	996	1023	1515	1,340	2	1588	-	PL18033RS25	-
0750BH53	2000	996	1023	1515	1,508	2	1662	-	PL20033RS25	-
0750JH53	2200	996	1023	1515	1,676	2	1782	-	PL22033RS25	-
0750WH53	2400	996	1023	1515	1,844	2	1857	-	PL24033RS251	-
0750KH53	2500	996	1023	1515	1,929	2	1894	-	PL25033RS25	-

